

Note the below provisions represent the Section 42A Report Writing Officer's recommended amendments to the provisions of the Proposed District Plan, in response to submissions (with underline used for new text and ~~strikethrough~~ for deleted text). Recommendations made throughout the Reporting Officer's right of reply are shown in red underline for new text and red ~~strikethrough~~ for deleted text.

Appendix 1.4 – Officer's Recommended Amendments – LIZ (Urban) V1

Overview

The district's Light Industrial zone complements the Heavy Industrial zone and facilitates a range of activities which contribute to the district's economic well being. The Light Industrial zone provides for a range of light¹ industrial activities that are unlikely to produce offensive or objectionable environmental effects but may generate some adverse effects ~~but do not generate objectionable odour, dust or noise or elevated risk to people's health and safety., including those associated with odour, dust or noise.~~^{2,3}

Activities within this zone may include light manufacturing, contractor depots, automotive and marine repair, service industries, trade suppliers⁴ and some compatible commercial activities. ~~Unlike the Mixed Use zone, the Light Industrial zone is not required to focus on pedestrian access or amenity or provide public spaces.⁵~~ It may also serve as a buffer between the Heavy Industrial zone and General Residential or Mixed Use zones.

Council has a responsibility under the RMA, the National Policy Statement on Urban Development and the RPS to ensure that there is sufficient business land available to meet the future demands of the district, so⁶ that development occurs in the right location and ~~that it⁷~~ is appropriately serviced.

Objectives	
LIZ-O1	The Light Industrial zone is utilised for the efficient operation of light⁸ industrial activities and is managed to ensure its long-term protection, including from: <ul style="list-style-type: none"> a. land fragmentation; b. land sterilisation; and c. reverse sensitivity effects.
LIZ-O2	The Light Industrial zone accommodates a range of light⁹ industrial activities that: <ul style="list-style-type: none"> a. efficiently use the physical resources of the zone; b. <u>include, but are not limited to, warehouse storage, automotive repairs, minor engineering and light manufacturing activities, product assembly.¹⁰</u> are characterised largely by light manufacturing, contractor depots, automotive and marine repair and service industries;

¹ Consequential amendments

² S509.005 consequential amendment

³ S432.003 and others - consequential amendments

⁴ Consequential amendments

⁵ S371.016 and others

⁶ Clause 16 amendment

⁷ Clause 16 amendment

⁸ S509.005 consequential amendment

⁹ S509.005 consequential amendment

¹⁰ S509.002

	c. are not unreasonably constrained by surrounding activities, and d. avoid compromising the operation of future light ¹¹ industrial activities within the zone.
LIZ-O3	Enable land use and subdivision in the Light Industrial zone where there is adequacy and capacity of available or programmed development infrastructure to support it.
LIZ-O4	The adverse environmental effects generated by light industrial activities are managed, in particular at zone boundaries.
LIZ-O5	The Light Industrial zone accommodates provides for ¹² a limited range of commercial activities which either support light industrial activities or are not anticipated in the Mixed Use zone.
Policies	
LIZ-P1	Enable development and operation of light ¹³ industrial activities in the Light Industrial zone.
LIZ-P2	Require all subdivision in the Light Industrial zone to provide the following reticulated wastewater, stormwater and potable water services and local electricity distribution network to the boundary of each lot (where available) and encourage all subdivision to provide the following reticulated services to the boundary of each lot: a. telecommunications: i. fibre where it is available; ii. copper where fibre is not available; iii. copper where the area is identified for future fibre deployment. ¹⁴ b. local electricity distribution network; and c. wastewater, potable water supply and stormwater where they are available. ¹⁵
LIZ-P3	Avoid the establishment of activities that do not support the function of the Light Industrial zone, including: a. heavy industrial activities; offensive trade (excluding waste management facility); ¹⁶ b. residential activities (where they are not ancillary to a Light ¹⁷ Industrial activity); ¹⁸ c. community facilities; d. retirement villages; e. education facilities (excluding trades training); ¹⁹ and f. sport and recreation facilities.
LIZ-P4	Allow commercial activities in the Light Industrial zone that: a. are complementary to and support light ²⁰ industrial activities; or b. require larger sites and may not accommodate amenity values anticipated in the Mixed Use zone.
LIZ-P5	Ensure that built form and landscaping is of a scale and design that is ²¹ : a. consistent with the amenity of the Light Industrial zone; and b. complementary to the character and amenity of adjoining zones.

¹¹ S509.005 consequential amendment¹² S371.017¹³ S509.005 consequential amendment¹⁴ Consequential amendments¹⁵ Consequential amendments¹⁶ Consequential amendments¹⁷ S509.005 consequential amendment¹⁸ Consequential amendments¹⁹ S331.086 Consequential amendments²⁰ S509.005 consequential amendment²¹ S509.003

LIZ-P6	<p>Consider the following matters where relevant when assessing and managing the effects of Manage land use and subdivision in the Light Industrial Zone:²² to address the effects of the activity requiring resource consent, including (but not limited to) consideration of the following matters where relevant to the application:</p> <ul style="list-style-type: none"> a. consistency with the scale, density, design and character of the light industrial environment and purpose of the zone; b. the location, scale and design of buildings or structures, outdoor storage areas, parking and internal roading; c. <u>opportunities for connectivity, within and between developments, public open space, services and facilities;</u>²³ d. for non-light²⁴ industrial activities: <ul style="list-style-type: none"> i. scale and compatibility with light²⁵ industrial activities; ii. potential reverse sensitivity effects on light²⁶ industrial activities. e. at zone interfaces: <ul style="list-style-type: none"> i. any setbacks, fencing, screening or landscaping required to address potential conflicts; ii. any adverse effects on the character and amenity of adjacent zones. f. the adequacy and capacity of available or programmed development infrastructure to accommodate the proposed activity; including: <ul style="list-style-type: none"> i. opportunities for low impact design principles; ii. management of three waters infrastructure and trade waste such as industrial by-products. g. managing natural hazards; h. the adequacy of roading infrastructure to service the proposed activity; i. any adverse effects on historic heritage and cultural values, natural features and landscapes or indigenous biodiversity; and j. any historical, spiritual, or cultural association held by tangata whenua, with regard to the matters set out in Policy TW-P6.
---------------	---

Rules

Notes:

1. There may be other rules in Part 2 - District-Wide Matters of the District Plan that apply to a proposed activity, in addition to the rules in this zone chapter. These District-Wide rules may be more stringent than the rules in this chapter. Ensure that relevant District-Wide Matters chapters are also referred to in addition to this chapter, to determine whether resource consent is required under other rules in the District Plan. Refer to the *how the plan works* chapter to determine the activity status of a proposed activity where resource consent is required under multiple rules.
2. This zone chapter does not contain rules relating to setback to waterbodies for building and structures or setbacks to waterbodies for earthworks and indigenous vegetation clearance. The Natural Character chapter contains rules for activities within wetlands, lakes and river margins. The Natural Character chapter should be referred to in addition to this zone chapter.

LIZ-R1	New buildings or structures, <u>relocated buildings or</u>²⁷ and extensions or alterations to existing buildings or structures	
Light Industrial	Activity status: Permitted	Activity status where compliance not achieved with <u>PER -2 or PER-3</u>:

²² Clause 16 corrections

²³ S271.037 and others

²⁴ Consequential amendments

²⁵ Consequential amendments

²⁶ Consequential amendments

²⁷ S482.007

zone	<p>Where:</p> <p>PER-1 The building or structure on the site does not exceed a GBA of 450m².²⁸ <u>The new building or structure, relocated buildings²⁹ or extension or alteration to an existing building or structure, will accommodate a permitted, restricted discretionary or discretionary activity.</u>³⁰</p> <p>PER-2 Any ancillary activity (including residential activity) occupies no more than 15% of the GFA of the industrial building, and is located within or is attached to the same building as the industrial activity.</p> <p>PER-32 <u>The new building or structure, or extension or alteration to an existing building or structure that increases the existing building footprint, complies with standards:</u> LIZ-S1 Maximum height; LIZ-S2 Height in relation to boundary; LIZ-S3 Setback (excluding from MHWS or wetland, lake and river margins); LIZ-S4 Setback from MHWS;³⁴ LIZ-S5 Outdoor storage; LIZ-S6 Landscaping and screening on road boundaries; LIZ-S7 Landscaping for sites that adjoin any sites other than mixed use or industrial; and LIZ-S8 Coverage; and <u>LIZ-SX Pedestrian frontages</u>³²</p> <p>PER-3 <u>Extension or alteration to an existing building or structure that does not increase the building footprint, complies with standards:</u> <u>LIZ-S1 Maximum height; and</u> <u>LIZ-S2 Height in relation to boundary.</u>³³</p>	<p>Restricted Discretionary</p> <p>Matters of discretion are restricted to:</p> <ul style="list-style-type: none"> a. the matters of discretion of any infringed standard; b. the extent of the necessity to locate the ancillary activity with the industrial activity; c. the extent to which the ancillary activity may result in trade distribution effects, or impact on the function of the Light Industrial zone; and d. the extent to which the ancillary activity adversely impacts on the transport network and road safety. <p>Activity status where compliance not achieved with PER-1 or PER-2: Discretionary</p>
LIZ-RX	Light³⁴-Industrial Activity	

²⁸ S360.012 and others²⁹ S482.007³⁰ S368.011³¹ Consequential amendments³² S368.011³³ S509.004³⁴ S509.005 consequential amendment

<u>Light Industrial zone</u>	<u>Activity status: Permitted</u> <u>Where:</u> <u>PER-1</u> <u>Any ancillary activity (excluding residential activity) is located within or is attached to the same building and occupies no more than 15% of the GFA or 180m² whichever is lesser.</u> <u>Or</u> <u>PER-2</u> <u>Any residential ancillary activity is located within or is attached to the same building and occupies no more than 15% of the GFA or 180m² whichever is lesser.</u>	<u>Activity status where compliance not achieved with PER-1: Restricted Discretionary</u> <u>Matters of discretion are restricted to:</u> <ul style="list-style-type: none"> a. <u>the necessity to locate the ancillary activity in the Light Industrial Zone;</u> b. <u>whether the ancillary activity is more appropriate to be located in another zone;</u> c. <u>the extent to which the ancillary activity may result in trade distribution effects, or impact on the function of the Light Industrial zone; and</u> d. <u>the extent to which the ancillary activity adversely impacts on the roading network and road safety.</u>³⁵
LIZ-R2	Trade supplier	
Light Industrial zone	Activity status: Permitted	Activity status where compliance not achieved: Not applicable
LIZ-R3	Emergency service facility	
Light Industrial zone	Activity status: Permitted	Activity status where compliance not achieved: Not applicable
LIZ-R4	Public toilet	
Light Industrial zone	Activity status: Permitted Where: PER-1 The building or structure complies with	Activity status where compliance not achieved with PER-1: Restricted discretionary Matters of discretion are restricted to:

³⁵ S371.018 and others

	standards: LIZ-S1 Maximum height; LIZ-S2 Height in relation to boundary; LIZ-S3 Setback (excluding from MHWS or wetland, lake and river margins); LIZ-S4 Setback from MHWS; and LIZ-S8 Coverage.	a. the matters of discretion of any infringed standard.
LIZ-R5	Convenience stores, restaurants, cafés and takeaway food outlets	
Light Industrial zone	Activity status: Permitted Where: PER-1 The convenience store, restaurant, café or takeaway food outlet does not exceed a GFA of 2300m ² . ³⁶	Activity status where compliance not achieved with PER-1: Discretionary
LIZ-R6	Conservation activity	
Light Industrial zone	Activity status: Permitted	Activity status where compliance not achieved: Not applicable
LIZ-RXX	<u>Trades training</u> ³⁷	
<u>Light Industrial zone</u>	<u>Activity status: Permitted</u>	<u>Activity status where compliance not achieved: Not applicable</u> ³⁸
LIZ-RXY	<u>Waste management facility</u>	
<u>Light Industrial zone</u>	<u>Activity status: Permitted</u>	<u>Activity status where compliance not achieved: Not applicable</u> ³⁹
LIZ-R7	Commercial activity	
<u>Light Industrial zone - Waipapa control area</u>	<u>Activity status: Permitted</u>	<u>Activity status where compliance not achieved: Not applicable</u>
<u>Light Industrial zone excluding the Waipapa</u>	Activity status: Discretionary	Activity status where compliance not achieved: Not applicable

³⁶ S432.013³⁷ S331.086³⁸ S331.086³⁹ S360.008

<u>control area</u> ⁴⁰		
<u>LIZ-RYY</u> ⁴¹	<u>Supermarkets</u>	
<u>Light Industrial zone – Waipapa control area</u>	<u>Activity status: Permitted</u>	<u>Activity status where compliance not achieved: Not applicable</u>
<u>Light Industrial zone – excluding the Waipapa control area</u>	<u>Activity status: Discretionary</u>	<u>Activity status where compliance not achieved: Not applicable</u>
<u>LIZ-RXZ</u>	<u>Large format retail activity</u>	
<u>Light Industrial zone - Waipapa control area</u>	<u>Activity status: Permitted</u>	<u>Activity status where compliance not achieved: Not applicable</u>
<u>Light Industrial zone excluding the Waipapa control area</u>	<u>Activity status: Discretionary</u>	<u>Activity status where compliance not achieved: Not applicable</u> ⁴²
<u>LIZ-R8</u>	<u>Sport and <u>active</u>⁴³ recreation activity</u>	
<u>Light Industrial zone</u>	<u>Activity status: Discretionary</u>	<u>Activity status where compliance not achieved: Not applicable</u>
<u>LIZ-RY</u>	<u>Industrial activity (excluding offensive trade)</u>	
<u>Light Industrial zone</u>	<u>Activity status: Discretionary</u> Note: This rule does not apply to Light industrial activities assessed under LIZ-RX Light industrial activity ⁴⁴	<u>Activity status where compliance not achieved: Not applicable</u> ⁴⁵

⁴⁰ S432.015⁴¹ S363.030⁴² S432.015⁴³ Clause 16 amendment⁴⁴ S509.005 consequential amendment⁴⁵ S371.018

LIZ-R9	Activities not otherwise listed in this chapter	
Light Industrial zone	Activity status: Discretionary	Activity status where compliance not achieved: Not applicable
LIZ-R10	Community facility	
Light Industrial zone	Activity status: Non-complying	Activity status where compliance not achieved: Not applicable
LIZ-R11	Residential activity	
Light Industrial zone	Activity status: Non-complying <u>Note: Applies to residential activities not provided for in LIZ-RX Light⁴⁶ industrial activity⁴⁷</u>	Activity status where compliance not achieved: Not applicable
LIZ-R12	Retirement village	
Light Industrial zone	Activity status: Non-complying	Activity status where compliance not achieved: Not applicable
LIZ-R13	Visitor accommodation	
Light Industrial zone	Activity status: Non-complying	Activity status where compliance not achieved: Not applicable
LIZ-R14	Cleanfill area or landfill, including managed fill	
Light Industrial zone	Activity status: Non-complying	Activity status where compliance not achieved: Not applicable
LIZ-R15	Offensive trade (<u>excluding waste management facility</u>)⁴⁸	
Light Industrial zone	Activity status: Non-complying	Activity status where compliance not achieved: Not applicable
LIZ-R16	Community corrections activity	
Light Industrial zone	Activity status: <u>Permitted</u> Non-complying ⁴⁹ PER-1 The number of people onsite does not exceed twelve. ⁵⁰	Activity status where compliance not achieved: with PER-1: Discretionary <u>Not applicable</u>
LIZ-R17	Commercial composting	
Light	Activity status: Non-complying	Activity status where compliance not

⁴⁶ S509.005 consequential amendment⁴⁷ Consequential amendments⁴⁸ S360.008 consequential amendments⁴⁹ S432.026 and others⁵⁰ S158.016

Industrial zone		achieved: Not applicable
LIZ-R18	Primary production Farming	
Light Industrial zone	Activity status: Non-complying Permitted ⁵¹	Activity status where compliance not achieved: Not applicable
LIZ-RZ	Mining and quarrying	
<u>Light Industrial zone</u>	<u>Activity status: Non-complying</u> ⁵²	<u>Activity status where compliance not achieved: Not applicable</u>
LIZ-R19	Educational facility (excluding trades training) ⁵³	
Light Industrial zone	Activity status: Non-complying	Activity status where compliance not achieved: Not applicable
Standards		
LIZ-S1	Maximum height	
Light Industrial zone	<p>The maximum height of a building or structure, or extension or alteration to an existing building or structure is 4216⁵⁴m above ground level, except that any fence or standalone wall along a side or rear boundary which adjoins a site zoned General Residential, Rural-Residential, Māori Purpose, Open Space, Natural Open Space, or Sport and Active Recreation does not exceed 2m in height.</p> <p>This standard does not apply to:</p> <ul style="list-style-type: none"> i. solar and water heating components not exceeding 0.5m in height above the building envelope on any elevation; ii. Chimney structures not exceeding 1.2m in width and 1m in height above the building envelope on any elevation; or iii. lift overruns provided these do not exceed the height by more than 1m above the building envelope on any elevation. <p>NOTE: If a resource consent application is made for an infringement of LIZ-S1 and the proposed building or structure is:</p> <ul style="list-style-type: none"> a. greater than 40 metres in height and within 1,000 metres of the Waipapakauri transmitter at Spains Road, Awanui, Part Lot 4 	<p>Where the standard is not met, matters of discretion are restricted to:</p> <ul style="list-style-type: none"> a. the character and amenity of the surrounding area; b. dominance in relation to the road and adjoining sites; c. loss of privacy to adjoining sites, including potential loss in relation to vacant sites; d. shading and loss of access to sunlight to adjoining sites; e. landscaping; and f. natural hazard mitigation and site constraints.

⁵¹ S432.025⁵² S432.025⁵³ S331.086⁵⁴ S509.007

	<p style="text-align: center;"><u>DP 43276;</u> <u>Then consultation will be required with Radio</u> <u>New Zealand to manage potential adverse</u> <u>electromagnetic coupling effects</u>⁵⁵</p>	
LIZ-S2	Height in relation to boundary	
Light Industrial zone	<p>Any building or structure, or extension or alteration to an existing building or structure, adjoining a site zoned General Residential, Rural-Residential, Māori Purpose, Open Space, Natural Open Space, or Sport and Active Recreation must be contained within a building envelope defined by recession planes measured inwards from the respective boundary:</p> <ol style="list-style-type: none"> 1. 55 degrees at 2m above ground level at the northern boundary of the site. 2. 45 degrees at 2m above ground level at the eastern and western boundaries of the site. 3. 35 degrees at 2m above ground level at the southern boundary of the site. <p>This standard does not apply to:</p> <ol style="list-style-type: none"> i. solar and water heating components not exceeding 0.5m in height on any elevation; ii. Chimney structures not exceeding 1.2m in width and 1m in height on any elevation; or iii. lift overruns provided these do not exceed the height by more than 1m on any elevation. 	<p>Where the standard is not met, matters of discretion are restricted to:</p> <ol style="list-style-type: none"> a. loss of privacy to adjoining sites, including potential loss in relation to vacant sites; b. shading and loss of access to sunlight to adjoining sites, including buildings and outdoor areas; and c. natural hazard mitigation and site constraints.
LIZ-S3	Setback (excluding from MHWS or wetland, lake and river margins)	
Light Industrial zone	<p>The building or structure, or extension or alteration to an existing building or structure must be setback at least 3m from the boundary of any site zoned General Residential, Rural-Residential, Māori Purpose, Open Space, Natural Open Space, or Sport and Active Recreation <u>or any KHR designation boundary.</u>⁵⁶</p> <p>This standard does not apply to:</p> <ol style="list-style-type: none"> i. solar and water heating components not exceeding 0.5m in height above the building envelope on any elevation; ii. fences or walls no more than 2m in height above ground level; or iii. uncovered decks no more than 1m above ground level. 	<p>Where the standard is not met, matters of discretion are restricted to:</p> <ol style="list-style-type: none"> a. the natural character of the coastal environment; b. screening, planting and landscaping on the site; c. the design and siting of the building or structure with respect to privacy and shading; d. natural hazard mitigation and site constraints; e. the effectiveness of the proposed method for controlling stormwater; f. the safety and efficiency of the

⁵⁵ S489.039⁵⁶ S416.057

		<p>current or future roading network; and</p> <p>g. the impacts on existing and planned public walkways.</p> <p>h. <u>The location and design of the building as it relates to the ability to safely use, access and maintain buildings without requiring access on, above or over the rail corridor.</u></p> <p>i. <u>The safe and efficient operation of the rail network.</u>⁵⁷</p>
LIZ-S4	Setback from MHWS⁵⁸	
Light Industrial zone	<p>The building or structure, or extension or alteration to an existing building or structure must be set back at least 26m from MHWS.</p> <p>-</p>	<p>Where the standard is not met, matters of discretion are restricted to:-</p> <p>-</p> <p>b. the natural character of the coastal environment;</p> <p>c. screening, planting and landscaping on the site;</p> <p>d. the design and siting of the building or structure with respect to dominance on adjoining public space;</p> <p>e. natural hazard mitigation and site constraints;</p> <p>f. the effectiveness of the proposed method for controlling stormwater; and</p> <p>g. the impact on existing and planned roads, public walkways, reserves and esplanades.</p>
LIZ-S5	Outdoor storage	
Light Industrial zone	<p><u>Where a site adjoins another site that is not zoned light industrial or heavy industrial</u> <u>Any</u>⁵⁹ outdoor storage areas, except for the display of goods for retail sale, must be fully screened by a solid fence or wall of a minimum height of 1.8m so that it is not visible from adjoining sites and public land.</p> <p>This standard does not apply to construction materials to be used on-site for a maximum period of 12 months; <u>and aboveground fuel tanks at truck stops.</u>⁶⁰</p>	<p>Where the standard is not met, matters of discretion are restricted to:</p> <p>a. the streetscape and amenity of the surrounding area;</p> <p>b. the amenity of adjoining properties;</p> <p>c. screening, planting and landscaping measures proposed;</p> <p>d. topographical or other site constraints making compliance with the standard impractical;</p>

⁵⁷ S416.063⁵⁸ Clause 16 update⁵⁹ S134.003 and others⁶⁰ S336.027

		<ul style="list-style-type: none"> e. the ability to mitigate any adverse visual effects of reduced, alternative or no screening through the use of alternative methods; and f. the design, layout and use of the site which may compensate for reduced, alternative or no screening.
LIZ-S6	Landscaping and screening on road boundaries	
Light Industrial zone	<ol style="list-style-type: none"> 1. Where a site adjoins a road boundary, at least 50% of that road boundary not occupied by buildings or <u>or</u> driveways or <u>pedestrian accessways</u> shall be landscaped with plants or trees <u>within a strip that is at least 2m in width. A separate pedestrian accessway may be provided within this strip, and its width shall not exceed 2m.</u>⁶¹ 2. The landscaping shall <u>reach a minimum height of 1m within two years after planting.</u>⁶² be a minimum height of 1m at installation and shall achieve a continuous screen of 1.8m in height and 1.5m in width within five years. 	<p>Where the standard is not met, matters of discretion are restricted to:</p> <ul style="list-style-type: none"> a. the character and amenity of the streetscape and surrounding area; b. topographical, or other site constraints, <u>or functional requirements</u>⁶³ making compliance with this standard impractical; and c. health and safety implications for pedestrians and the transport network.
LIZ-S7	Landscaping for sites that adjoin any sites other than mixed use or industrial	
Light Industrial zone	<p>Side Site⁶⁴ boundaries that adjoin any zone other than Mixed Use, Light Industrial or Heavy Industrial zones must:</p> <ol style="list-style-type: none"> 1. be fenced with a solid fence or wall of a minimum height of 1.8m; or 2. be landscaped with plants or trees of a minimum height of 1m at installation which will achieve a continuous screen of 1.8m in height and 1.5m in width within five years; or 3. be screened with a combination of (1) and (2) above. 	<p>Where the standard is not met, matters of discretion are restricted to:</p> <ul style="list-style-type: none"> a. the outlook, character, and amenity of adjoining sites in any zone other than Mixed Use, Light Industrial or Heavy Industrial zones; b. the scale of the building and its distance from the boundary with any zone other than Mixed Use, Light Industrial or Heavy Industrial zones; c. the ability to mitigate any adverse visual effects of reduced, alternative or no screening through the use of alternative methods; and d. the design, layout and use of the site which may compensate for reduced, alternative or no

⁶¹ S360.013 and others

⁶² S360.013 and others

⁶³ S336.028

⁶⁴ S368.096

		screening.
LIZ-S8	Coverage	
Light Industrial zone	<p>1. At least 10% of the site area shall be planted in grass, vegetation or landscaped with permeable material; and</p> <p>2. <u>Where a connection to Council's reticulated stormwater system is not available then stormwater must be disposed of within the site.</u></p> <p><u>An engineering / site suitability report is required to determine compliance with this standard⁶⁵</u></p> <p>3. The stormwater collection system is designed in accordance with Far North District Council Engineering Standards April 2022.</p>	<p>Where the standard is not met, matters of discretion are restricted to:</p> <ul style="list-style-type: none"> a. the character and amenity of the surrounding area; b. whether the activity is within an existing consented urban stormwater management plan or discharge consent; c. the extent to which building site coverage and impermeable surfaces contribute to total catchment impermeability and the provisions of any catchment or drainage plan for that catchment; d. the extent to which low impact design principles have been used to reduce site impermeability; e. natural hazard mitigation and site constraints; f. the effectiveness of the proposed method for controlling stormwater <u>without adverse effects on adjoining waterbodies (including groundwater and aquifers) on adjoining or downstream properties⁶⁶</u>; g. the extent to which existing grass, vegetation or landscaping provided on site can mitigate the adverse effects resulting from reduced, alternative or no permeable surface; and h. extent of potential adverse effects on cultural, spiritual, heritage and/or amenity values of any affected waterbodies.
LIZ-SX	Pedestrian frontages	
Light Industrial zone	<p><u>For sites with pedestrian frontage identified on the planning maps:</u></p> <p>1. <u>At least 65% of the building frontage at</u></p>	<p><u>Where the standard is not met, matters of discretion are restricted to:</u></p>

⁶⁵ S516.034 and others. Plan wide consistency

⁶⁶ S418 plan wide consistency

	<p>ground floor must be clear glazing; and</p> <p>2. <u>The principal public entrance to the building must be located on the front boundary.</u>⁶⁷</p>	- <ul style="list-style-type: none">a. <u>the character and amenity of the streetscape; and</u>b. <u>the ability to reuse and adapt the building for a variety of activities.</u>
--	---	--

⁶⁷ S368.011